

Swift 1925Z 19pcs 25W Aura LED Moving Head Zoom Beam Wash Light



• This is a high powerful LED Moving Head Zoom Light, the zoom range can from 10degree to 60degree. It can be a beam light, and a moving head wash light. The light is very suitable for the stage performance, theatre, TV, studio, rental and other entertainment places.



Features

- Extremely small, fast and powerful LED Moving Head Beam Zoom Light;
- Wide zoom range from 10degree to 60degree;
- Great built-in lighting shows programs under master/slave mode;
- Blue LCD display for easy navigation;
- Perfect for stage, theatre, TV, studio, rental and discotheques.

Technical Specification

Light Sources

- LED: 19pcs 25W 4in1 LED lamps
- Lifespan: 50,000h
- Color: RGBW 4in1 colorful

Optics

- Beam angle: 10-60degree
- Dimmer: 0-100% linear dimmer
- Strobe: 1-25 times/second

Light Output

- Illuminance: 108500 Lux (full @1m 15°)
- Optimal projection distance: 4-50m

Movement

- Pan(X axis): 540degree
- Tilt(Y axis): 270degree

Control

- Control mode: DMX-512; Mater/slave mode; Demo mode
- DMX channel: 14CH, 27CH
- Display of control panel: LCD display, four buttons

Power Supply

- Related voltage: AC100V-240V, 50/60Hz
- Related power: 500W

Construction

- Body dimension: D325*W188*H395mm
- Net weight: 9.2kg
- Shell color: black
- Shell material: ABS

Working Environment

- Working temperature: -25-40°C
- Cooling: mute Fan
- Protection rating: Ip20

Standard Configuration Spare Part List

- Cable: 1pc 3-pin DMX cable, 1pc power cable with plug(America standard, Euro standard, or other standard)
- User manual: English version user manual
- Clamp bridge: 1 set clamp bridge



Optional Configuration Spare Parts List


- Clamps: different style clamps optional (choose from VanGaa homepage "Accessories series")
- Safety rope: different size safety ropes optional (choose from VanGaa homepage "Accessories series")

Package


- Carton board box package: 390*300*450mm (1pc/carton)
- N.W/G.W: 9.2kg/10.5kg

Dimension

















9.2kg(20.28lb) 


















Effect and Details













DMX Channel Layout

14CH	1	2	3	4	5	6	7	8	9	10	11	12	13	14
%	Shutter	Beam Dimmer	Zoom	Pan	Pan fine	Tilt	Tilt fine	Fixtures Control setting	Color wheel effect	Red	Green	Blue	White	Beam CCT
														

DMY Layout 1: which can call the Martin Aura 14CH to control

27CH	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
%	Pan	Pan fine	Tilt	Tilt fine	Pan/tilt Speed	Zoom	Special Function	Dimmer	Shutter	Ring1 Red	Ring1 Green	Ring1 Blue	Ring1 White	Ring1 Color Reset	Ring1 Red	Ring1 Green	Ring1 Blue
																	

18	19	20	21	22	23	24	25	26	27
Ring1 White	Ring1 Color Reset	Ring1 Red	Ring1 Green	Ring1 Blue	Ring1 White	Ring1 Color Reset	Ring Color Macro	Ring Color Macro Speed	Beam CCT
									

Lux chart

